
<JSTORM>

JDBC for Reading



JSTORM
<http://www.jstorm.pe.kr>

Document Information

Document title:	JDBC for Reading
Document file name:	JDBC_for_Reading_pattern_jstorm_1.0_final
Revision number:	<1.0>
Issued by:	< , >
Issue Date:	<2002/2/11>
Status:	final

Content Information

Audience	EJB
Abstract	EJB
	, EJB
	"Session Facade" 가
	가?
Reference	http://www.theserverside.com/resources/patterns_review.jsp
Benchmark information	

Table of Contents

JDBC for Reading.....4



JDBC for Reading

EJB , EJB

“Session Façade” 가
가?

() 가,

(HTML 가)

(/),

Employee	Department
Adam Berman	Development
Eileen Sauer	Training
Ed Roman	Management
Clay Roach	Architecture

1. HTML

1 , 가
Employee
Department
가 "Session Façade" / "Data Transfer Object Factory"
getEmployees() , EmployeeHome
finder 가
(employee) (department)
EmployeeDepartmentDTO

EJB
가
N+1 :
BMP CMP , N
N+1
CMP가
N+1
finder
finder finder .(1)
finder finder
ejbLoad())가
n+1
connection , result set
가
Employee, Department
2N+1
(finder 1 , Employee
ejbLoads() N , Department ejbLoads() N).

:
, N
3N
Employee 가 getValueObject()
: N
Employee department getDepartment()
: N
Department 가 getValueObject()
: N
가
EmployeeProjectViewObjects
:
BMP CMP
가
가
가
가
CMP 가
가 BMP BMP
가 EJB 가
가 EJB 가
BMP

BMP , JDBC 가 ,
 .
 UI가 가
 , JDBC 가 ,
 가 ,
 (department) (employee),
 , 3 N (), N+1
 , JDBC
 .
 ResultSet
 EmployeeDepartmentDTO 가 가
 HashMap(HashMap)
 Rowset Rowset
 .
 JDBC
 가
 .
 JDBC
 가
 가
 가

JDB C

ejbLoad()

가,
가

JDBC
가

가
가

가

N+1

가

API
"Data Access Object" (

JDBC

)

가

가

JDBC

Façade"
"Data Access Object"

"Session
가

가

JDBC

, Book Chapter , Chapter
Chapter
Book Book

"Session Façade" JDBC
()

UI가
가
JDBC

"JDBC for Reading" "Session Façade" "Data Transfer
Object Factory" ResultSet DTO's
(DTO Factory RowSet
, "Session Façade" HashMap
)