

Resin JPS

(freesoft@nownuri.net)

<http://my.netian.com/~Love4U>

Resin caucho Open Project JSP .

caucho

. caucho <http://www.caucho.com> .

(<http://www.caucho.com>)

resin .

Unix

. 2000 10 16

resin - 1.1.5

resin - 1.2b2

, archive resin-1.1.4 .

Windows 2000 Professional

Resin 1.1.5


resin - 1.1.5.zip (2.5 MB)

. resin

install shield


resin1.1.5

가 .




resin1.1.5 가 .(1.1.4


1.2)




resin1.1.5 bin, conf, doc, lib, src, srun, xsl 7 가
resin iis iis_srun.dll
bin setup.exe



setup.exe



Resin Home Resin . 가
c resin c: \ resin1.1.5
"c: \ resin.1.1.5"
Web Servers Resin
가
Windows NT 2000 IIS inetpub \ scripts
가 . c IIS가
Apply IIS Resin dll IIS
IIS



OK
가 iis_srun.dll 가
IIS가 iis_srun.dll scripts
가 apply ok

setup


Resin listener

bin

srun.exe 가
Resin Servlet Runner

/JSP 가

Resin 6082



httpd.exe Resin

IIS

httpd

Resin

servlet

, URL

```

, DB Connection Pool
Resin
(Resin
caucho
)
Resin
conf
가
resin.conf

```

```

<caucho.com>

<http-server
  app-dir='C: \ inetpub \ wwwroot'>
  <classpath id='WEB-INF/classes' source='WEB-INF/classes'/>
  <servlet-mapping url-pattern='/servlet/*'
    servlet-name='invoker'/>

  <servlet-mapping url-pattern='*.xtp'
    servlet-name='com.caucho.jsp.XtpServlet'/>
  <servlet-mapping url-pattern='*.jsp'
    servlet-name='com.caucho.jsp.JspServlet'/>
</http-server>

</caucho.com>

```

```

IIS
가 c: \ inetpub \ wwwroot
가 wwwroot WEB -
INF \ classes
servlet URL servlet

```

```

c: \ inetpub \ wwwroot \ WEB-INF \ classes
URL
http://localhost/servlet/Test.class
http://localhost/servlet/Test

```

```

JSP
hello.jsp
c: \ inetpub \ wwwroot

```

```


<%
String s = new String("Hello, JSP");

```

%>

<%= s %>

<http://localhost/hello.jsp>



Hello, JSP 가

class

가

servlet.jar

.(servlet.jar SUN , jsdk jswdk jswdk.jar)

DB Connection Pool

Resin Connection Pool Resin 1.2 JNDI
1.1.X
resin.conf 가

<caucho.com>

<http-server

app-dir='C: \ inetpub \ wwwroot'>

<classpath id='WEB-INF/classes' source='WEB-INF/classes'/>

<servlet-mapping url-pattern='/servlet/'>

servlet-name='invoker'/>

<servlet-mapping url-pattern='*.xtp'

servlet-name='com.caucho.jsp.XtpServlet'/>

<servlet-mapping url-pattern='*.jsp'

```

        servlet-name='com.caucho.jsp.JspServlet'/>
</http-server>

```

```

<dbpool.sql id='myDBIdentifier'
    driver="oracle.jdbc.driver.OracleDriver"
    url="jdbc:oracle:thin:@xxx.xxx.xx.x:1521:ORCL"
    user="scott"
    password="tiger"/>

```

```


</caucho.com>


```

```

        <dbpool.sql id = 'jit' .... >
id          servlet      jsp
driver      ,             DB             ,             JDBC             . url
user       password
JDBC       Resin             Oracle       SUN,
DB         DB             JDBC
DB         JDK
Windows 2000      "             "
"             ->             "Administrator             "
가          classpath          가 JDBC
가          "             "

```





Resin Connection Pool JSP, Servlet

```
import com.caucho.sql.*;
```

```
Connection conn = DBPool.getPool("myDBIdentifier").getConnection();
```

Connection Pool

```
<%@page language="java" contentType="text/html; charset=KSC560 1"
import = "java.sql.* , com.caucho.sql.*" %>
<%
    Connection conn = DBPool.getPool("mybbs").getConnection();
    try
    {
        Statement stmt = conn.createStatement();
        ResultSet rs = stmt.executeQuery("select * from MYbbs");
        while (rs.next())
        {
%>
<%= rs.getString(1); %>
```



```
<%  
    }  
    }  
    catch(Exception e)  
    {  
        e.printStackTrace();  
    }  
    finally{  
        conn.close();  
    }  
%>
```